



C Series




Connections

C Series is a solder-free connection solution specially designed to ease the installation of Luzmia products. It uses Profiled technology connectors, guaranteeing a quick installation, reliability, and connections sealing.




1. Over-molding


2. IP65 Protection



C200



C200




C200



Flexible Strips

4 years
warranty



APPLICATIONS




Light box



Channel letters




Halo letters



Flag signs



Mupis



Totems




Cut lettering

- Polarity protector
- IP65 Protection (with silicone)
- O-ring
- Maximum current 6A
- Profiled connection


CODES TABLE

Profiled - Profiled



Código 028013



Cable - Profiled



Código 028017



4 years
warranty




APPLICATIONS



Light box




Channel letters




Flag signs



Halo letters



Mupis



Totems




Cut lettering

- Polarity protector
- IP65 Protection with end cap
- Maximum current 6A
- Profiled connection


CODES TABLE

Profiled Bridge Connector




Code 028014

Profiled T Connector



Code 028015

Profiled Cross Connector



Code 028016





APPLICATIONS




Light box



Channel letters




Halo letters



Flag signs



Mupis



Totems




Cut lettering

- Profiled connection
- Stainless screw system
- High quality silicone parts
- Long lifespan products
- UV resistance
- Dust-proof connection
- IP65 Protection
- Work temperature $-40^{\circ} \sim +70^{\circ}$

CODES TABLE

Profiled Silicone End Cap
Termination




Code 028020

Profiled Silicone End Cap
for Power



Code 028021

Profiled Silicone Holder



Code 028022

Profiled Connection Set



Code 028018

Led Sealant
* Lifespan: 6 months



Code 028019

